

XtraforsBP AC Servomotors

Features

- Compact size
- High torque
- High speed
- Low maintenance
- Greater reliability
- Increased waterproofness
- Strengthened ball bearings
- Modular construction

Power

- Stall torque 0.70 to 3.4 Nm
- Sizes 55 and 70 mm

Versions

- Wide range of feedback solutions
- Customized versions
- CE compliant, UL listed

XtraforsBP, AC Servomotors


This range looks like a restyling of XtraforsBL 55 and 70mm motors with improved reliability, robustness, thermal efficiency and waterproofness.

The excellent torque/inertia-ratio gives these motors an extremely high acceleration capability.

Technical data

Type	Torque	Speed	Winding A (230VAC)		Winding 4 (400VAC)		Lenght L *		
	M _{nom}	n _{nom}	I _{nom}	n _{max} @230V	n _{max} @400V	I _{nom}	n _{max} @400V	without brake	with brake
	[Nm]	[rpm]	[Arms]	[rpm]	[rpm]	[Arms]	[rpm]	[mm]	[mm]
BP 055	0.54	6 500	1.09	7 700	10 000	0.60	7 000	130.5	169.5
BP 071	0.69	8 000	1.81	8 200	11 000	0.97	10 000	106	134.5
BP 072	1.76	6 000	3.67	7 600	11 000	2.20	7 800	126	154.5
BP 073	2.41	3 800	3.49	5 300	8 200	1.96	5 500	144	175
BP 074	2.60	3 800	3.21	4 600	7 100	1.65	4 500	162	193

Torque performances



Standard version

- Resolver feedback
- Shaft with keyway
- Protection IP-65
- Rotatable angled connectors
- NTC thermal sensor
- Windings: 400VAC and 230VAC


Options

- Various types of incremental encoders, SinCos encoders, Hiperface, EnDat
- Shaft without keyway
- Protection IP-67
- Shaft seal
- Straight connectors
- Direct cable output
- PTC thermal sensor

Customized versions

- Shafts (i.e. hollow shafts)
- Flanges, housings
- Windings, connections
- Executions according to customer's specification

Mechanical dimensions



Dimensions [mm]	Ø A	Ø B	Ø C	Ø D	E	F	G	H	I	K
BP 050	40 j6	65	5.5	9 k6	20	M3x9	2.5	57	A3x3x12	97
BP 070	60 j6	75	5.5	11 k6	23	M4x10	2.5	70	A4x4x14	102

Brakes

Motor type	BP 055	BP 071-072	BP 073-074
Torque [Nm]	1.0	2.0	4.5
Supply [VDC]	24 (+6% - 10%)		

Infranor Product Range

Drives

Standard drives



Customized drives



Drive applications



Motors

Standard motors



Customized motors



Motor applications




Services

Standard services



User-specific services



Global solutions



Infranor Group

Infranor creates added value for its customers by providing tailor-made motion solutions.

Based on strong working relationships, Infranor offers extensive market know-how, comprehensive engineering skills and a wide range of high-quality products leading to productivity gains and therefore to comparative advantages for its customers in their respective markets.

Contact

Infranor worldwide

Switzerland
Germany
France
Italy
Benelux
UK
Spain
USA
China

Other representations:
Denmark, Poland, Slovenia,
Israel, India.



www.infranor.com